

tifermec[®]

RETROESCAVATORI

BACKHOE • HECKBAGGER • PELLE RÉTRO • RETROEXCAVADORA



Il futuro è il nostro lavoro




[a richiesta • attachments • auf Anfrage • accessoires • accesorios]



- **Benna letame**
- Manure bucket
- Mistschaufel
- Pince à fumier
- Cuchara estiércol



- **Benna scavo**
- Digging bucket
- Baggerschaufel
- Godet d'excavation
- Cuchara excavación



- Benna scavo fossi
- Ditching bucket
- Grabenräumer
- Godet excavation fossés
- Cuchara excavación fosos



- **Benna pulizia fossi**
- Trench clearing bucket
- Reinigungsschaufel
- Godet nettoyage fossés
- Cuchara limpieza fosos



- **Testata trinciante**
- Chopping head
- Mulchkopf
- Tête broyeurse
- Cabezal triturador



- **Trivella idraulica**
- Hydraulic post hole digger
- Erdbohrer
- Tariere hydraulique
- Barrenadora hidráulica



- **Martello demolitore idraulico**
- Jackhammer
- Schlaghammer
- Marteau piqueur hydraulique
- Martillo hidráulico



- **Pinza carica tronchi**
- Lob grab
- Holzgreifer
- Pince pour tronc
- Alicates para el manejo

serie
Green
Line

RETROESCAVATORI

BACKHOE • HECKBAGGER • PELLE RÉTRO • RETROEXCAVADORA



- È OBBLIGATORIO L'USO DEL KIT BLOCCAGGIO
- USE OF THE LOCKING DEVICE IS COMPULSORY
- DIE VERWENDUNG DES SPERR-KITS IST ZWINGEND VORGESCHRIEBEN
- L'UTILISATION DU KIT DE BLOCAGE EST OBLIGATOIRE.
- USO OBLIGATORIO DEL KIT BLOQUEO



Mod. "L"



Mod. "B"



Mod. "BA"


DATI TECNICI / SPECIFICATIONS TECHNISCHE DATEN / CARACTÉRISTIQUES / DATOS TÉCNICOS

MOVIMENTAZIONE BRACCI / ARM MOTION BEWEGUNG ARME / MOUVEMENT DES BRAS / MOVIMIENTO BRAZOS				B / BA 13	B / BA 15	L 13	L 15	L 16
A	(mm.)	A	(mm.)	1300	1500	1300	1500	1500
B	(mm.)	B	(mm.)	1200	1600	1200	1600	1600
C	(mm.)	C	(mm.)	1900	2300	1900	2300	2300
D	Raggio d'azione Working radius - Aktionsradius	D	Rayon d'action Rayo de acción	2000	2500	2000	2500	2500
Larghezza telaio traslabile Travelling frame width - Breite Verschiebungsgestell		Largeur du châssis avec translation Ancho bastidor traslabable				1000	1000	1200
Forza di strappo al dente Bucket breakout force - Reißkraft am Zahn		Force d'arrachement Fuerza de tiro al diente		1500	1800	1500	1800	1800
Angolo di rotazione Rotation angle - Rotationswinkel		Angle de rotation Angulo de rotación		180°				
Portata max pompa Pump max delivery - Max. Fähigkeit der Pumpe		Débit max pompe Capacidad máx. de la bomba		13	15	13	15	15
Pressione di taratura Working pressure - Arbeitsdruck		Pression de travail Presión de taraje		180				
Capacità serbatoio Tank capacity - Fassungsvermögen des Tanks		Capacité du réservoir Capacidad depósito		15	25	25	25	25
Benna scavo Digging bucket - Grabschaufel		Benne d'excavation Cuchara excavación		250÷400				
Peso con benna Weight with bucket - Gewicht mit Schaufel		Poids avec godet Peso con cuchara		250	290	280	300	320
Massa minima trattore Min. tractor's weight - Mindestgewicht Zugmaschine		Poids min. tracteur Masa mínima tractor		650	750	750	800	850
Potenza minima trattore Min. power requirements - Zugmaschine		Puissance min. requise Potencia mínima tractor		13	15	13	15	15

Mod.
"B"



Mod.
"BA"



Mod.
"L"

